



Certificate of Analysis

Pages 1 of 6

PASSED



Batch #: 001
Harvest Date: 06/29/26
Manufacturing Date: 07/02/26
Production Method: Spiked Matrix
Total Amount: 1000 units
Retail Product Size: 180 ml
Retail Serving Size: 180 ml
Density: 0.92 g/mL
Servings: 1

Lab ID: TE60713010-001
Ordered: 07/13/26
Sample Date: 07/13/26
Sample Collection Time: 11:15 AM
Sample Size: 201.21 gram
Completed: 07/24/26
Revised: 07/24/26

Texas Hill Country Essentials

201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
0.2820%

Total THC/Container : 466.9920 mg



Total CBD
0.0050%

Total CBD/Container : 8.2800 mg



Total Cannabinoids Q3
0.2890%

Total Cannabinoids/Container :
478.5840 mg

	D10-THC	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	0.2820	ND	0.0050	ND	ND	ND	ND	ND	0.0020	ND	ND
mg/unit	ND	466.9920	ND	8.2800	ND	ND	ND	ND	ND	3.3120	ND	ND
Qualifier												
LOD (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
LOQ (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001

Analyzed by:
333, 540, 272, 862

Weight:
1g

Extraction date:
07/16/26 19:30:47

Extracted by:
333

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE014877POT

Instrument Used : TE-245 "Buttercup" (Infused)

Analyzed Date : 07/18/26 09:23:59

Batch Date : 07/14/26 17:41:17

Dilution : 10

Reagent : 062926.R06; 062926.R08; 071026.R07; 011326.R13

Consumables : 0000539202; 24200382; N03170C; 31425034; 260103-7060-A; 1010628866; M09007V; 1011151662; 5260065; GD250006

Pipette : TE-072 SN:RU26833 (2-20uL); TE-074 SN:RU31707; TE-054 SN:21D58682; TE-064 SN:20B27672 (100-1000uL)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #1 This revision supersedes any and all previous versions of this document.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26

Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license



Certificate of Analysis

Pages 2 of 6

Texas Hill Country Essentials

Sample: TE60713010-001

201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

Batch #: 001

Ordered: 07/13/26
Sampled: 07/13/26
Completed: 07/24/26

PASSED



Label Claim Verification

PASSED

ANALYTES

LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Weight:	Extraction date:	Extracted by:
Analysis Method : N/A			
Analytical Batch : N/A			
Instrument Used : N/A		Batch Date : N/A	
Analyzed Date : 07/18/26 09:23:56			



Pesticide

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AVERMECTINS (ABAMECTIN B1A)	0.5	0.0170	0.2500	ND	ppm	V1, L1	PASS
ACEPHATE	0.4	0.0100	0.2000	ND	ppm	V1, L1	PASS
ACETAMIPRID	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
ALDICARB	0.4	0.0140	0.2000	ND	ppm	V1, L1	PASS
AZOXYSTROBIN	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
BIFENAZATE	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
BIFENTHRIN	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
BOSCALID	0.4	0.0050	0.2000	ND	ppm	V1, L1	PASS
CARBARYL	0.2	0.0080	0.1000	ND	ppm	V1, L1	PASS
CARBOFURAN	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
CHLORANTRANILIPROLE	0.2	0.0110	0.1000	ND	ppm	V1, L1	PASS
CHLORPYRIFOS	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
CLOFENTEZINE	0.2	0.0100	0.1000	ND	ppm	V1, L1	PASS
CYPERMETHRIN	1	0.1000	0.5000	ND	ppm	V1, L1	PASS
DAMINOZIDE	1	0.0100	0.5000	ND	ppm	V1, L1	PASS
DIAZINON	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
DICHLORVOS (DDVP)	0.1	0.0010	0.0500	ND	ppm	V1, L1	PASS
DIMETHOATE	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
ETHOPROPHOS	0.2	0.0040	0.1000	ND	ppm	V1, L1	PASS
ETOFENPROX	0.4	0.0060	0.2000	ND	ppm	V1, L1	PASS
ETOXAZOLE	0.2	0.0040	0.1000	ND	ppm	V1, L1	PASS
FENOXYCARB	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
FENPYROXIMATE	0.4	0.0040	0.2000	ND	ppm	V1, L1	PASS
FIPRONIL	0.4	0.0060	0.2000	ND	ppm	V1, L1	PASS
FLONICAMID	1	0.0090	0.5000	ND	ppm	V1, L1	PASS
FLUDIOXONIL	0.4	0.0060	0.2000	ND	ppm	V1, L1	PASS
HEXYTHIAZOX	1	0.0050	0.5000	ND	ppm	V1, L1	PASS
IMAZALIL	0.2	0.0110	0.1000	ND	ppm	V1, L1	PASS
IMIDACLOPRID	0.4	0.0080	0.2000	ND	ppm	V1, L1	PASS
KRESOXIM-METHYL	0.4	0.0070	0.2000	ND	ppm	V1, L1	PASS
MALATHION	0.2	0.0070	0.1000	ND	ppm	V1, L1	PASS
METALAXYL	0.2	0.0040	0.1000	ND	ppm	V1, L1	PASS
METHIOCARB	0.2	0.0040	0.1000	ND	ppm	V1, L1	PASS
METHOMYL	0.4	0.0050	0.2000	ND	ppm	V1, L1	PASS
MYCLOBUTANIL	0.2	0.0100	0.1000	ND	ppm	V1, L1	PASS
NALED	0.5	0.0070	0.2500	ND	ppm	V1, L1	PASS
OXAMYL	1	0.0080	0.5000	ND	ppm	V1, L1	PASS
PACLOBUTRAZOL	0.4	0.0050	0.2000	ND	ppm	V1, L1	PASS
TOTAL PERMETHRINS	0.2	0.0030	0.1000	ND	ppm	V1, L1	PASS
PHOSMET	0.2	0.0100	0.1000	ND	ppm	V1, L1	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26

Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license



Certificate of Analysis

Pages 3 of 6

Texas Hill Country Essentials

201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

Sample: TE60713010-001

Batch #: 001

Ordered: 07/13/26
Sampled: 07/13/26
Completed: 07/24/26

PASSED



Pesticide

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
PIPERONYL BUTOXIDE	2	0.0050	1.0000	ND	ppm	V1, L1	PASS
PRALLETHRIN	0.2	0.0130	0.1000	ND	ppm	V1, L1	PASS
PROPICONAZOLE	0.4	0.0050	0.2000	ND	ppm	V1, L1	PASS
PROPOXUR	0.2	0.0050	0.1000	ND	ppm	V1, L1	PASS
TOTAL PYRETHRINS	1	0.0010	0.5000	ND	ppm	V1, L1	PASS
PYRIDABEN	0.2	0.0040	0.1000	ND	ppm	V1, L1	PASS
TOTAL SPINOSAD	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
SPIROMESIFEN	0.2	0.0080	0.1000	ND	ppm	V1, L1	PASS
SPIROTETRAMAT	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
SPIROXAMINE	0.4	0.0040	0.2000	ND	ppm	V1, L1	PASS
TEBUCONAZOLE	0.4	0.0040	0.2000	ND	ppm	V1, L1	PASS
THIACLOPRID	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
THIAMETHOXAM	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
TRIFLOXYSTROBIN	0.2	0.0060	0.1000	ND	ppm	V1, L1	PASS
CHLORFENAPYR	1	0.0270	0.5000	ND	ppm	V1, L1	PASS
CYFLUTHRIN	1	0.0150	0.5000	ND	ppm	V1, L1	PASS

Analyzed by: 272, 602, 862	Weight: 1.0254g	Extraction date: 07/18/26 13:34:52	Extracted by: 803
--------------------------------------	---------------------------	--	-----------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Analytical Batch : TE014883PES

Instrument Used : TE-118 - "MS/MS PES/VOL/MYC 1",TE-261 LC - "PES/VOL/MYC 1"

Batch Date : 07/15/26 14:33:43

Analyzed Date : 07/21/26 21:11:07

Dilution : 50

Reagent : 062326.R16; 022326.R24; 062326.R15; 071526.R01; 071526.R02; 071126.R01; 070126.R07; 050426.R14; 070826.R13

Consumables : 24200382; N03170C; 260103-7060-A; 1010628866; 1011151662; GD250006

Pipette : TE-078 SN:RU33650; TE-062 SN:20C50491

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 272, 602, 862	Weight: NA	Extraction date: N/A	Extracted by: N/A
--------------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ

Analytical Batch : TE014967VOL

Instrument Used : N/A

Batch Date : 07/21/26 17:23:41

Analyzed Date : 07/21/26 21:09:27

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



Residual Solvents

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
BUTANES	5000	168.2000	2400.0000	ND	ppm		PASS
METHANOL	3000	87.7000	1440.0000	ND	ppm		PASS
PENTANES	5000	163.9000	2400.0000	ND	ppm		PASS
ETHANOL	5000	142.2000	2400.0000	ND	ppm		PASS
ETHYL ETHER	5000	193.1000	2400.0000	ND	ppm		PASS
ACETONE	1000	37.6000	480.0000	ND	ppm		PASS
2-PROPANOL	5000	156.2000	2400.0000	ND	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26

Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license



Certificate of Analysis

Pages 4 of 6

Texas Hill Country Essentials

201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

Sample: TE60713010-001

Batch #: 001

Ordered: 07/13/26
Sampled: 07/13/26
Completed: 07/24/26

PASSED



Residual Solvents

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ACETONITRILE	410	12.2000	196.8000	ND	ppm		PASS
DICHLOROMETHANE	600	22.7000	288.0000	ND	ppm		PASS
HEXANES	290	8.4000	139.2000	ND	ppm		PASS
ETHYL ACETATE	5000	179.0000	2400.0000	ND	ppm		PASS
CHLOROFORM	60	2.4100	28.8000	ND	ppm		PASS
BENZENE	2	0.1150	1.0000	ND	ppm		PASS
HEPTANE	5000	152.8000	2400.0000	ND	ppm		PASS
ISOPROPYL ACETATE	5000	168.6000	2400.0000	ND	ppm		PASS
TOLUENE	890	26.2000	427.2000	ND	ppm		PASS
XYLENES	2170	53.2000	1041.6000	ND	ppm		PASS

Analyzed by:
409, 432, 272, 862

Weight:
0.0222g

Extraction date:
07/14/26 16:20:26

Extracted by:
409

Analysis Method : SOP.T.40.044.AZ

Analytical Batch : TE014872SOL

Instrument Used : TE-095 "MS - Solvents 1"

Batch Date : 07/14/26 16:19:49

Analyzed Date : 07/20/26 16:12:55

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPP.	1	1.0000	1.0000	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FLAVUS	0.999	1.0000	1.0000	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FUMIGATUS	0.999	1.0000	1.0000	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS NIGER	0.999	1.0000	1.0000	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS TERREUS	0.999	1.0000	1.0000	Not Detected in 1g	pass/fail		PASS
ESCHERICHIA COLI (REC)	100	10.0000	10.0000	<LOQ	CFU/g		PASS
TYM		1.0000	1.0000	ND	CFU/g	Q3	TESTED

Analyzed by:
331, 272, 862

Weight:
1.0025g

Extraction date:
07/14/26 17:33:55

Extracted by:
331

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ

Analytical Batch : TE014864MIC

Instrument Used : TE-234 "bioMérieux GENE-UP",TE-254 PMA-Lite LED 2.0 Photolysis Device SN S24070903,TE-342 "bioMérieux GENE-UP"

Batch Date : 07/14/26 12:44:39

Analyzed Date : 2026-07-21 18:50:15, 2026-07-21 18:50:15

Dilution : 10

Reagent : N/A

Consumables : N/A

Pipette : N/A

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #1 This revision supersedes any and all previous versions of this document.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26

Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license



Certificate of Analysis

Pages 5 of 6

Texas Hill Country Essentials

201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

Sample: TE60713010-001

Batch #: 001

Ordered: 07/13/26
Sampled: 07/13/26
Completed: 07/24/26

PASSED



Microbial

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 331, 272, 862	Weight: 1.0451g	Extraction date: 07/22/26 17:03:03			Extracted by: 331			
Analysis Method : N/A		Batch Date : 07/14/26 16:15:21						
Analytical Batch : TE014871TYM								
Instrument Used : N/A								
Analyzed Date : 07/23/26 09:19:07								
Dilution : 100								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								



Mycotoxins

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
AFLATOXIN B1	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
AFLATOXIN B2	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
AFLATOXIN G1	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
AFLATOXIN G2	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
OCHRATOXIN A	20	3.0300	10.0000	ND	ppb	V1, L1	PASS
Analyzed by: 272, 602, 862	Weight: NA		Extraction date: N/A			Extracted by: N/A	
Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ							
Analytical Batch : TE014966MYC							
Instrument Used : N/A				Batch Date : 07/21/26 17:20:19			
Analyzed Date : 07/21/26 21:13:04							
Dilution : N/A							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							
Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSO with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20ua/kg. Ochratoxin must be <20ua/kg.							



Heavy Metals

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ARSENIC	0.4	0.0660	0.2000	ND	ppm		PASS
CADMIUM	0.4	0.0660	0.2000	ND	ppm		PASS
LEAD	1	0.1660	0.5000	ND	ppm		PASS
MERCURY	1.2	0.0333	0.1000	ND	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #1 This revision supersedes any and all previous versions of this document.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26
Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license



Certificate of Analysis

Pages 6 of 6

Texas Hill Country Essentials
201 Hillview Circle,
Dripping Springs, Texas, 78620
License # : 1744

Sample: TE60713010-001
Batch #: 001

Ordered: 07/13/26
Sampled: 07/13/26
Completed: 07/24/26

PASSED

	Heavy Metals	PASSED
---	---------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 445, 272, 862							
Weight: 0.1996g							
Extraction date: 07/21/26 14:18:08							
Extracted by: 445							
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ Analytical Batch : TE014934HEA Instrument Used : TE-307 "Ted" Analyzed Date : 07/22/26 14:21:46 Batch Date : 07/20/26 13:08:45 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).							

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	3	0.3000	1.0000	ND	%		PASS
Analyzed by: 331, 272, 862							
Weight: 1.0025g							
Extraction date: 07/22/26 17:07:45							
Extracted by: 331							
Analysis Method : SOP.T.40.090 Analytical Batch : TE014980FIL Instrument Used : N/A Analyzed Date : 07/23/26 09:19:04 Batch Date : 07/22/26 10:48:44 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #1 This revision supersedes any and all previous versions of this document.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/24/26
Laboratory License #:
00000024LCMD66604568

Revision: #1 -
Corrected license