

Delta9 THC **0.13%** THCa **23.44%** Total THC (THCa * 0.877 + THC) **20.69%** Delta8 THC **ND**

* CAN+ - Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiarin (CBDv)	0.039	0.16	ND	ND
Cannabidibutol (CBDb)	0.011	0.03	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	0.06	0.61
Cannabigerol Acid (CBGA)	0.033	0.16	1.02	10.20
Cannabigerol (CBG)	0.048	0.16	0.11	1.07
Cannabidiol (CBD)	0.069	0.229	ND	ND
Tetrahydrocannabinavarin (THCV)	0.049	0.16	ND	ND
Cannabinol (CBN)	0.047	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	0.13	1.34
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	ND	ND
Cannabicyclol (CBL)	0.0012	0.16	ND	ND
Cannabichromene (CBC)	0.13	0.432	0.03	0.29
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	23.44	234.43
Total THC (THCa * 0.877 + Δ9THC)			20.69	206.94
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			20.69	206.94
Total CBD (CBDA * 0.877 + CBD)			0.05	0.53
Total CBG (CBGa * 0.877 + CBG)			1.00	10.02
Total Cannabinoids Analyzed			21.78	217.78

*Drug Weight %

Analized Jan 26, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	0.00	1.5
Cadmium (Cd)	0.0005	0.0015	0.01	0.5
Mercury (Hg)	0.0058	0.0174	0.00	3
Lead (Pb)	0.0006	0.0018	ND	0.5

Analized Feb 02, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	Negative	1
Salmonella spp.	1.0	1.0	Negative	1
Aspergillus fumigatus	1.0	1.0	Negative	1
Aspergillus flavus	1.0	1.0	Negative	1
Aspergillus niger	1.0	1.0	Negative	1
Aspergillus terreus	1.0	1.0	Negative	1

Analyzed Jan 26, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Stahl

Brandon Starr, Quality Assurance Manager
Wed, 11 Feb 2026 14:18:30 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

PharmWare
LABORATORY LIMS & ELN

[illegible]

PES - Pesticides

Analyzed Feb 02, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclubutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Propfos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Acephate	0.02	0.05	ND	
Acetamiprid	0.01	0.05	ND		Azoxystrobin	0.01	0.02	ND	
Bifenazate	0.01	0.05	ND		Bifenthrin	0.02	0.35	ND	
Boscalid	0.01	0.03	ND		Carbaryl	0.01	0.02	ND	
Chlorantranilprole	0.01	0.04	ND		Clofentezine	0.01	0.03	ND	
Diazinon	0.01	0.02	ND		Dimethomorph	0.02	0.06	ND	
Etoazole	0.01	0.05	ND		Fenproximate	0.02	0.1	ND	
Flonicamid	0.01	0.02	ND		Fludioxonil	0.01	0.05	ND	
Hexythiazox	0.01	0.03	ND		Imidacloprid	0.01	0.05	ND	
Kresoxim-methyl	0.01	0.03	ND		Malathion	0.01	0.05	ND	
Metolaxyl	0.01	0.02	ND		Methomyl	0.02	0.05	ND	
Myclobutanil	0.02	0.07	ND		Naled	0.01	0.02	ND	
Oxamyl	0.01	0.02	ND		Permethrin	0.01	0.02	ND	
Phosmet	0.01	0.02	ND		Piperonyl Butoxide	0.02	0.06	ND	
Propiconazole	0.03	0.08	ND		Prallethrin	0.02	0.05	ND	
Pyrethrin	0.05	0.41	ND		Pyridaben	0.02	0.07	ND	
Spinosad A	0.01	0.05	ND		Spinosad D	0.01	0.05	ND	
Spiromesifen	0.02	0.06	ND		Spiratetramat	0.01	0.02	ND	
Tebuconazole	0.01	0.02	ND		Thiamethoxam	0.01	0.02	ND	
Trifloxystrobin	0.01	0.02	ND		Acequinoctyl	0.02	0.09	ND	
Captan	0.01	0.02	ND		Cypermethrin	0.02	0.1	ND	
Cyfluthrin	0.04	0.1	ND		Fenhexamid	0.02	0.07	ND	
Spinetoram J,L	0.02	0.07	ND		Pentachloronitrobenzene	0.01	0.1	ND	

FVI - Filth & Foreign Material Inspection

Analyzed Jan 26, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MWA - Moisture Content & Water Activity

Analyzed Jan 13, 2026 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD a _w	LOQ a _w	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Water Activity (WA)	0.03	0.03	0.45 a _w	0.85 a _w	Moisture (Moi)	0.0	0.0	6.3 % Mw	13 % Mw

UJ Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Wed, 11 Feb 2026 14:18:30 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2016 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.