

Certificate of Analysis

Produced: Jun 03, 2026

Sample: Willie's Remedy+ THC Infused Bottle 10mg 750ml (Edible Liquid) • Client: Elixera Labs • Batch: Pass



Batch No.: SBTHE096A1  
Matrix: Edible Liquid  
Density: 1.0337 g/ml  
Sample ID: ICC-260529-04-001  
Collected on: May 29, 2026  
Received on: May 29, 2026  
Batch Size:  
Sample Size:  
Package Size: 780.98 g  
Serving Size: 45.94 g  
The material submitted for testing: not created by chemical synthesis, modification or chemical conversion from another cannabinoid utilizing non-cannabis material.

Batch Result: Pass

|           |        |            |      |
|-----------|--------|------------|------|
| Potency   | Tested | Mycotoxins | Pass |
| Solvents  | Pass   | Pesticides | Pass |
| Metals    | Pass   | Foreign    | Pass |
| Microbial | Pass   |            |      |

Cannabinoid Overview

|                      |             |
|----------------------|-------------|
| Δ <sup>9</sup> -THC: | 10.7 mg/srv |
| CBD:                 | 2.08 mg/srv |
| Total Cannabinoids:  | 15.1 mg/srv |
| Sum of Cannabinoids: | 15.1 mg/srv |

POT-INST-005: POT-INST-005: Potency • Jun 03, 2026

| Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%)  | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail | Analyte              | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/ml) | LOD/LOQ (mg/ml)  | Pass/Fail |
|---------|--------------|--------------|----------|-------------|------------------|-----------|----------------------|--------------|--------------|---------|-------------|------------------|-----------|
| CBC     |              |              | ND       | ND          | 0.00114/0.00340  | N/A       | CBT                  |              |              | ND      | ND          | 0.000492/0.00172 | N/A       |
| CBD     | 2.08         | 35.3         | 0.00452  | 0.0467      | 0.000346/0.00172 | N/A       | Δ <sup>8</sup> -THC  |              |              | ND      | ND          | 0.000278/0.00172 | N/A       |
| CBDA    |              |              | ND       | ND          | 0.000829/0.00249 | N/A       | Δ <sup>9</sup> -THC  | 10.7         | 182          | 0.0233  | 0.241       | 0.000459/0.00172 | N/A       |
| CBDV    |              |              | ND       | ND          | 0.000275/0.00172 | N/A       | THCA                 |              |              | ND      | ND          | 0.000631/0.00189 | N/A       |
| CBG     | 2.17         | 36.9         | 0.00473  | 0.0489      | 0.000392/0.00172 | N/A       | THCV                 |              |              | ND      | ND          | 0.000212/0.00172 | N/A       |
| CBGA    |              |              | ND       | ND          | 0.000611/0.00183 | N/A       | Total THC**          | 10.7         | 182          | 0.0233  | 0.241       |                  | N/A       |
| CBL     |              |              | ND       | ND          | 0.000271/0.00172 | N/A       | Total CBD**          | 2.08         | 35.3         | 0.00452 | 0.0467      |                  | N/A       |
| CBN     | 0.155        | 2.63         | 0.000337 | 0.00348     | 0.000392/0.00172 | N/A       | Total Cannabinoids** | 15.1         | 257          | 0.0329  | 0.340       |                  | N/A       |

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)  
\*\* Total CBD = CBD + (CBDA x 0.877)  
NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jun 01, 2026

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.167/0.510    | Pass      | Hexane             | 290          | ND         | 0.0661/0.281   | Pass      |
| Acetone            | 5000         | ND         | 17.1/51.3      | Pass      | Isopropyl alcohol  | 5000         | ND         | 1.28/3.85      | Pass      |
| Acetonitrile       | 410          | ND         | 0.120/0.360    | Pass      | Methanol           | 3000         | 27.1       | 2.98/8.93      | Pass      |
| Benzene            | 1            | ND         | 0.0210/0.0640  | Pass      | Methylene chloride | 1            | ND         | 0.127/0.730    | Pass      |
| Butane             | 5000         | ND         | 0.973/4.86     | Pass      | Pentane            | 5000         | ND         | 0.964/4.28     | Pass      |
| Chloroform         | 1            | ND         | 0.0361/0.108   | Pass      | Propane            | 5000         | ND         | 4.44/13.3      | Pass      |
| Ethanol            | 5000         | 1070       | 2.62/7.86      | Pass      | Toluene            | 890          | ND         | 0.0882/0.866   | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.314/2.29     | Pass      | Trichloroethylene  | 1            | ND         | 0.0180/0.145   | Pass      |
| Ethylene oxide     | 1            | ND         | 0.153/0.580    | Pass      | o-Xylene           |              | ND         | 0.101/0.859    | N/A       |
| Ethyl ether        | 5000         | ND         | 1.19/3.55      | Pass      | p- and m-Xylene    |              | ND         | 0.116/1.72     | N/A       |
| Heptane            | 5000         | ND         | 0.688/2.86     | Pass      | Total xylenes      | 2170         | ND         | 0.101/0.860    | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 01, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jun 01, 2026

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm- Staphylococcus aureus • Jun 02, 2026

| Analyte               | Limit | Amt | Pass/Fail |
|-----------------------|-------|-----|-----------|
| Staphylococcus aureus |       | ND  | N/A       |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Jun 02, 2026

| Analyte          | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|------------------|---------------|-------------|-----------|
| Aerobic Bacteria | 10000         | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Jun 02, 2026

| Analyte   | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|-----------|---------------|-------------|-----------|
| Coliforms | 100           | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jun 03, 2026

| Analyte      | Limit (CFU/g) | Amt (CFU/g) | Pass/Fail |
|--------------|---------------|-------------|-----------|
| Yeast & Mold | 1000          | ND          | Pass      |

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jun 02, 2026

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 1.09/3.27       | N/A       | Aflatoxin G2 |               | ND          | 0.739/2.52      | N/A       |
| Aflatoxin B2 |               | ND          | 0.944/2.83      | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.39/7.16       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



*[Signature]*

*[Signature]*

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 02, 2026

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jun 02, 2026

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0156/0.0474  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Imidacloprid      | 3            | ND         | 0.0235/0.0711  | Pass      |
| Acequinocyl         | 4            | ND         | 0.0194/0.0587  | Pass      | Kresoxim-methyl   | 1            | ND         | 0.0125/0.0379  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Malathion         | 5            | ND         | 0.0117/0.0354  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Metalaxyl         | 15           | ND         | 0.0101/0.0306  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Methiocarb        | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Methomyl          | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Mevinphos         | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Myclobutanil      | 9            | ND         | 0.0180/0.0546  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Naled             | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Oxamyl            | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Permethrin        | 20           | ND         | 0.00831/0.0300 | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Phosmet           | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Piperonylbutoxide | 8            | ND         | 0.00759/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Prallethrin       | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Propiconazole     | 20           | ND         | 0.0195/0.0590  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Propoxur          | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins        | 1            | ND         | 0.00431/0.0300 | Pass      |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyridaben         | 3            | ND         | 0.0115/0.0350  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Spinetoram        | 3            | ND         | 0.00639/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Spinosad          | 3            | ND         | 0.00410/0.0300 | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spiromesifen      | 12           | ND         | 0.0137/0.0416  | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spirotetramat     | 13           | ND         | 0.0134/0.0407  | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spiroxamine       | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Tebuconazole      | 2            | ND         | 0.0144/0.0437  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Thiamethoxam      | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Trifloxystrobin   | 30           | ND         | 0.0102/0.0310  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      |                   |              |            |                |           |

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



*Signature*

*Signature*