



This is an amended version of report# 26-006588/D003.R000.

Reason: Additional safety testing included.

Customer: This That CBD
 Jordan Dunn
 4030 Wake Forest Rd, #349
 Raleigh North Carolina 27609
 United States of America (USA)

Product identity: Classic Caramel
Material: Cannabinoid Edible
Laboratory ID: 26-006588-0002
Evidence of Cooling: No
Temp: 20.8 °C
Lot #: ttcarameld9002
Manufactured Date: 05/15/2026
Expiration Date (Client Provided): 05/15/2028
Serving Size #1: 17 g

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b				Batch: 2604302	Analyzed: 06/02/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1		
					Result	Units	LOQ
CBD [±]	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
CBD-A [±]	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
CBD-Total [±]	< LOQ	%	0.0137		< LOQ	mg/17g	2.33
CBG	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
CBG-A	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
CBG-Total	< LOQ	%	0.0136		< LOQ	mg/17g	2.32
CBN	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
Δ10-THC-9R	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
Δ10-THC-9S	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
Δ10-THC-Total	< LOQ	%	0.0146		< LOQ	mg/17g	2.48
Δ8-THC [±]	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
Δ9-THC [±]	0.141	%	0.0073		23.9	mg/17g	1.24
Δ9-THC-A [±]	< LOQ	%	0.0073		< LOQ	mg/17g	1.24
Δ9-THC-Total [±]	0.141	%	0.0137		24.0	mg/17g	2.33
Total Cannabinoids	0.141	%			24.0	mg/17g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2604357	06/05/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2604358	06/05/26 AOAC 2020.06 ^b		

Solvents		Method: Residual Solvents by HS-GC-MS ^b				Units	μg/g	Batch	2604519	Analyze:	06/02/26
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		


Solvents Method: Residual Solvents by HS-GC-MS^B Units µg/g Batch 2604519 Analyze: 06/02/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
(neo-pentane) [⊥]						2,3-Dimethylbutane [⊥]	< LOQ		30.0		
3-Methylpentane [⊥]	< LOQ		30.0			Acetone [⊥]	< LOQ	5000	200	pass	
Acetonitrile [⊥]	< LOQ	410	100	pass		Benzene [⊥]	< LOQ	2.00	1.00	pass	
Butanes (sum) [⊥]	< LOQ	5000	400	pass		Cyclohexane [⊥]	< LOQ	3880	200	pass	
Ethyl acetate [⊥]	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether [⊥]	< LOQ	5000	200	pass		Ethylene glycol [⊥]	< LOQ	620	200	pass	
Ethylene oxide [⊥]	< LOQ	50.0	20.0	pass		Hexanes (sum) [⊥]	< LOQ	290	150	pass	
Isopropyl acetate [⊥]	< LOQ	5000	200	pass		Isopropylbenzene (Cumene) [⊥]	< LOQ	70.0	30.0	pass	
m,p-Xylene [⊥]	< LOQ		200			Methanol [⊥]	< LOQ	3000	200	pass	
Methylene chloride [⊥]	< LOQ	600	60.0	pass		Methylpropane (Isobutane) [⊥]	< LOQ		200		
n-Butane [⊥]	< LOQ		200			n-Heptane [⊥]	< LOQ	5000	200	pass	
n-Hexane [⊥]	< LOQ		30.0			n-Pentane [⊥]	< LOQ		200		
o-Xylene [⊥]	< LOQ		200			Pentanes (sum) [⊥]	< LOQ	5000	600	pass	
Propane [⊥]	< LOQ	5000	200	pass		Tetrahydrofuran [⊥]	< LOQ	720	100	pass	
Toluene [⊥]	< LOQ	890	100	pass		Total Xylenes [⊥]	< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass							

Pesticides Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2604403 Analyze: 06/02/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [⊥]	< LOQ	0.50	0.250	pass		Acephate [⊥]	< LOQ	0.40	0.200	pass	
Acequinocyl [⊥]	< LOQ	2.0	1.00	pass		Acetamiprid [⊥]	< LOQ	0.20	0.100	pass	
Aldicarb [⊥]	< LOQ	0.40	0.200	pass		Azoxystrobin [⊥]	< LOQ	0.20	0.100	pass	
Bifenazate [⊥]	< LOQ	0.20	0.100	pass		Bifenthrin [⊥]	< LOQ	0.20	0.100	pass	
Boscalid [⊥]	< LOQ	0.40	0.200	pass		Carbaryl [⊥]	< LOQ	0.20	0.100	pass	
Carbofuran [⊥]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [⊥]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [⊥]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [⊥]	< LOQ	0.20	0.100	pass	
Clofentezine [⊥]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [⊥]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [⊥]	< LOQ	1.0	0.500	pass		Daminozide [⊥]	< LOQ	1.0	0.500	pass	
Diazinon [⊥]	< LOQ	0.20	0.100	pass		Dichlorvos [⊥]	< LOQ	1.0	0.500	pass	
Dimethoate [⊥]	< LOQ	0.20	0.100	pass		Ethoprophos [⊥]	< LOQ	0.20	0.100	pass	
Etofenprox [⊥]	< LOQ	0.40	0.200	pass		Etoxazole [⊥]	< LOQ	0.20	0.100	pass	
Fenoxycarb [⊥]	< LOQ	0.20	0.100	pass		Fenpyroximate [⊥]	< LOQ	0.40	0.200	pass	
Fipronil [⊥]	< LOQ	0.40	0.200	pass		Flonicamid [⊥]	< LOQ	1.0	0.400	pass	
Fludioxonil [⊥]	< LOQ	0.40	0.200	pass		Hexythiazox [⊥]	< LOQ	1.0	0.400	pass	
Imazalil [⊥]	< LOQ	0.20	0.100	pass		Imidacloprid [⊥]	< LOQ	0.40	0.200	pass	
Kresoxim-methyl [⊥]	< LOQ	0.40	0.200	pass		Malathion [⊥]	< LOQ	0.20	0.100	pass	
Metalaxyl [⊥]	< LOQ	0.20	0.100	pass		Methiocarb [⊥]	< LOQ	0.20	0.100	pass	
Methomyl [⊥]	< LOQ	0.40	0.200	pass		MGK-264 [⊥]	< LOQ	0.20	0.100	pass	
Myclobutanil [⊥]	< LOQ	0.20	0.100	pass		Naled [⊥]	< LOQ	0.50	0.250	pass	
Oxamyl [⊥]	< LOQ	1.0	0.500	pass		Paclobutrazole [⊥]	< LOQ	0.40	0.200	pass	
Parathion-methyl [⊥]	< LOQ	0.20	0.100	pass		Permethrin [⊥]	< LOQ	0.20	0.100	pass	
Phosmet [⊥]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [⊥]	< LOQ	2.0	1.00	pass	
Prallethrin [⊥]	< LOQ	0.20	0.100	pass		Propiconazole [⊥]	< LOQ	0.40	0.200	pass	
Propoxur [⊥]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [⊥]	< LOQ	1.0	0.500	pass	
Pyridaben [⊥]	< LOQ	0.20	0.100	pass		Spinosad [⊥]	< LOQ	0.20	0.100	pass	



Pesticides						Method: AOAC 2007.01 & EN 15662 (mod)		Units mg/kg		Batch 2604403		Analyze: 06/02/26			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes				
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass					
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass					
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass					
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass											
Metals															
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method					Status	Notes			
Arsenic [±]	< LOQ	0.200	mg/kg	0.0187	2604438	06/05/26	AOAC 2013.06 (mod.) ^b					pass			
Cadmium [±]	< LOQ	0.200	mg/kg	0.0187	2604438	06/05/26	AOAC 2013.06 (mod.) ^b					pass			
Lead [±]	< LOQ	0.500	mg/kg	0.0187	2604438	06/05/26	AOAC 2013.06 (mod.) ^b					pass			
Mercury [±]	< LOQ	0.100	mg/kg	0.00935	2604438	06/05/26	AOAC 2013.06 (mod.) ^b					pass			
Mycotoxins															
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method					Status	Notes			
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2604409	06/05/26	Mycotoxins by AOAC 2007.01								
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2604409	06/05/26	Mycotoxins by AOAC 2007.01								
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2604409	06/05/26	Mycotoxins by AOAC 2007.01								
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2604409	06/05/26	Mycotoxins by AOAC 2007.01								
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2604409	06/05/26	Mycotoxins by AOAC 2007.01					pass			
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		06/10/26	Mycotoxins by AOAC 2007.01 ^b					pass			

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

▷ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = µg/g divided by 10,000

/25g = Per 25g

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/17g = Milligram per 17g

Approved Signatory



Derrick Tanner
General Manager





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 26-006588/D003.R001
Report Date: 06/10/2026
ORELAP#: OR100028
Received: 05/29/26 09:50



**Hemp & Cannabis
Chain of Custody**

**This-That-
CBD-1780004984**

Company Details Company: This That CBD Contact: Jordan Dunn Street Address: 4030 Wake Forest Rd. #349 City, State, Zip: Raleigh, NC 27609 Email: jordandunn@seventhhillcbd.com Contact Phone: 5415912620 Company Phone: 5415912620 Billing Information Billing Phone: 5415912620 Billing Email: jordandunn@seventhhillcbd.com								Testing
Project Details Turnaround Time: 4 Business Days Surcharges Apply Compliance : Compliance - Product(s) Not Sold in Oregon Relinquishment Sampling, Courier & Shipping Options: By Shipping Service (USPS, UPS, Fedex) Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves								CH002 - CanAm Potency + Safety Package
#	Sample Name	Lot Additional Sample ID	Material	Amount Provided	Reporting Unit	Serving Size	Additional Test Requests and Sample Comments	
1	Hawaiian Sea Salt Caramel	ttcarameld9001	Cannabinoid Edible	120 g	% & mg/serving	17 g	Manufacture Date: 05/15/26 Expiration Date: 05/15/28	✓
2	Classic Caramel	ttcarameld9002	Cannabinoid Edible	120 g	% & mg/serving	17 g	Manufacture Date: 05/15/26 Expiration Date: 05/15/28	✓
3	Lavender Vanilla Caramel	ttcarameld9003	Cannabinoid Edible	120 g	% & mg/serving	17 g	Manufacture Date: 05/15/26 Expiration Date: 05/15/28	✓

Package Details

[CanAm Potency + Safety Package](#); [Aflatoxins+Ochratoxin](#) | [OLCC](#) • [CanAm Pesticide Profile](#) • [Cannabis Heavy Metals Profile OR](#) • [Micro Profile X](#) • [Potency Cannabis \(Basic+Expanded\)](#) • [Residual Solvents \(CanAm\)](#)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Jordan Taylor Dunn</i>	<i>05/28/2026</i>	<i>14:50</i>	<i>cm</i>	<i>05/29/2026</i>	<i>09:50</i>	<i>20.80</i>	<i>CL-1243</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info.cfi@tentamus.com

Page 1 of 1
www.columbialaboratories.com


Laboratory Quality Control Results

J AOAC 2015 V98-6

Batch ID: 2604302

Analyzed: 06/02/2026 11:43 AM

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBE	0.0340	0.0344	%	98.9	80.0 - 120	Acceptable	
CBDA	0.0270	0.0285	%	94.7	90.0 - 110	Acceptable	
CBD	0.0257	0.0263	%	97.7	90.0 - 110	Acceptable	
CBN	0.0299	0.0298	%	100	80.0 - 120	Acceptable	
exo-THC	0.0307	0.0308	%	99.9	80.0 - 120	Acceptable	
d9THC	0.0265	0.0268	%	98.7	90.0 - 110	Acceptable	
d8THC	0.0276	0.0280	%	98.7	90.0 - 110	Acceptable	
CBL	0.0314	0.0312	%	101	80.0 - 120	Acceptable	
THCA	0.0292	0.0299	%	97.7	90.0 - 110	Acceptable	
CBLA	0.0316	0.0318	%	99.4	80.0 - 120	Acceptable	
CBT	0.0302	0.0305	%	99.0	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBE	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBDA	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBD	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBN	<LOQ	0.00706	%	< 0.00706	Acceptable	
exo-THC	<LOQ	0.00706	%	< 0.00706	Acceptable	
d9THC	<LOQ	0.00706	%	< 0.00706	Acceptable	
d8THC	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBL	<LOQ	0.00706	%	< 0.00706	Acceptable	
THCA	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBLA	<LOQ	0.00706	%	< 0.00706	Acceptable	
CBT	<LOQ	0.00706	%	< 0.00706	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2604302 Analyzed: 06/02/2026 11:43 AM

Sample Duplicate Sample ID: 26-006469-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBE	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00713	%	NA	< 10	Acceptable	
CBD	0.110	0.113	0.00713	%	2.45	< 10	Acceptable	
CBN	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.00713	%	NA	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00713	%	NA	< 10	Acceptable	
CBL	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00713	%	NA	< 10	Acceptable	
CBLA	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00713	%	NA	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

Residual Solvents					Batch ID: 2604519				
Method Blank					Laboratory Control Sample				
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1,1-Trichloroethane	ND	< 5		3.76	5	µg/g	75.2	50-150	
1,2-Dichloroethene, trans-	ND	< 1		0.799	1	µg/g	79.9	50-150	
1,2-Dichloroethene, cis-	ND	< 1		0.905	1	µg/g	90.5	50-150	
1,2-dimethoxyethane	ND	< 50		162	178	µg/g	91.0	50-150	
1,4-Dioxane	ND	< 100		365	522	µg/g	69.9	60-120	
1-Pentanol	ND	< 500		1760	1620	µg/g	108.6	50-150	
2,2-Dimethylbutane	ND	< 30		148	178	µg/g	83.1	60-120	
2,2-Dimethylpropane	ND	< 200		570	956	µg/g	59.6	60-120	
2,3-Dimethylbutane	ND	< 30		150	175	µg/g	85.7	60-120	
2-Butanol	ND	< 200		1550	1630	µg/g	95.1	60-120	
2-Ethoxyethanol	ND	< 30		178	185	µg/g	96.2	60-120	
2-Methylbutane	ND	< 200		1560	1620	µg/g	96.3	60-120	
2-Methylpentane	ND	< 30		153	172	µg/g	89.0	60-120	
2-Propanol	ND	< 200		1560	1620	µg/g	96.3	60-120	
3-Methylpentane	ND	< 30		152	172	µg/g	88.4	60-120	
Acetone	ND	< 200		1630	1640	µg/g	99.4	60-120	
Acetonitrile	ND	< 100		488	498	µg/g	98.0	60-120	
Benzene	ND	< 1		0.727	1	µg/g	72.7	50-150	
Butane	ND	< 200		582	769	µg/g	75.7	60-120	
Carbon Tetrachloride	ND	< 1		0.71	1	µg/g	71.0	50-150	
Chlorobenzene	ND	< 1		0.726	1	µg/g	72.6	50-150	
Cumene	ND	< 30		119	191	µg/g	62.3	60-120	
Cyclohexane	ND	< 200		1240	1630	µg/g	76.1	60-120	
Dichloromethane	ND	< 1		0.752	1	µg/g	75.2	50-150	
Ethanol	ND	< 200		1470	1640	µg/g	89.6	60-120	
Ethyl acetate	ND	< 200		1570	1630	µg/g	96.3	60-120	
Ethyl Ether	ND	< 200		1450	1620	µg/g	89.5	60-120	
Ethylbenzene	ND	< 200		712	991	µg/g	71.8	60-120	
Ethylene Glycol	ND	< 200		476	503	µg/g	94.6	60-120	
Ethylene Oxide	ND	< 1		0.986	1	µg/g	98.6	50-150	
Heptane	ND	< 200		1470	1630	µg/g	90.2	60-120	
Hexane	ND	< 30		169	189	µg/g	89.4	60-120	
Isobutane	ND	< 200		575	770	µg/g	74.7	60-120	
Isopropyl Acetate	ND	< 200		1480	1650	µg/g	89.7	60-120	
m,p-Xylene	ND	< 200		769	994	µg/g	77.4	60-120	
Methanol	ND	< 200		1720	1630	µg/g	105.5	60-120	
Methyl Acetate	ND	< 500		1530	1610	µg/g	95.0	50-150	
MTBE	ND	< 500		1420	1610	µg/g	88.2	50-150	
N,N-dimethylacetamide	ND	< 150		368	497	µg/g	74.0	50-150	
N,N-dimethylformamide	ND	< 150		385	490	µg/g	78.6	50-150	
o-Xylene	ND	< 200		677	984	µg/g	68.8	60-120	
Pentane	ND	< 200		1590	1640	µg/g	97.0	60-120	
Propane	ND	< 200		452	585	µg/g	77.3	60-120	
Tetrahydrofuran	ND	< 100		416	516	µg/g	80.6	60-120	
Toluene	ND	< 100		379	514	µg/g	73.7	60-120	
Trichloroethylene	ND	< 1		0.664	1	µg/g	66.4	50-150	
Triethylamine	ND	< 500		1100	1610	µg/g	68.3	50-150	



Revision: 2 Document ID: 7087

Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-006807-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1,1-Trichloroethane	ND	ND	5	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, cis-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm